

TECHNICAL INFORMATION

POTASSIUM PERMANGANATE

FREE FLOWING

Meets AWWA Standard B603-03

TYPICAL PROPERTIES:

Assay:	Specifications
Potassium Permanganate (KMnO ₄) content Cadmium (Cd) Chromium (Cr) Mercury (Hg) Nitrogen (N-total)	>97% <100 ppm <500 ppm <20 ppm <0.1%
Pour test Particle size distribution:	passes

Retained on 0.425 mm sieve <20% Passed through 0.075 mm sieve <7% Type Crystals

PACKING: 25 kg, 50 kg or 150 kg net polyethylene lined fully open head metal drums

COUNTRY OF ORIGIN: Czech Republic



The information herein is believed to be reliable and is to assist customers in determining whether our products are suitable for their applications. However, no warranty, express or implied is made as to its accuracy or completeness and none is made as to fitness of this material for any purpose. Our products are intended for sale to industrial and commercial customers. We request that customers inspect and test our products before use and satisfy themselves as to contents and suitability. Nothing herein shall constitute any other warranty express or implied, including any warranty of merchantability or fitness nor of protection from any law or patent to be inferred. All patent rights are reserved. The exclusive remedy for all proven claims is replacement of our materials and in no event shall we be liable for special, incidental or consequential damages. We shall not be liable for damages to person or property resulting from its use. Consult the Material Safety Data Sheet for additional information. Rev. 11/14/07 K:\specs\06 Chemicals\Potassium Permanganate AWWA-Czech.com.